








Log 244		540> 34mm	<250	CM 016.09.29	BE 2016	-Date-
Degree <85°	Dime A	ensions B	, mm C	Pos.	Quantity	-
	2300	40	70	1	2	
	5060	40	70	2	2	-
	5060	40	55/60	3	4	ack
	2222	19	100/86	4	50/61	Packing
		19	24	5	~ 20 m.	Nr
	5400	35	50	6	2	
	565	35	100	7	19	
	1440	35	100	8	19	
	1105	35	100	9	19	
	5400	35	100	10	1	
	5400	35	100	11	22	
	2500	35	100	12	27	-N
	845	35	100	13	32	-Name,
	5600	35	150	14	1	
	5600	35	150	15	1	last n
	5600	44	140	16	1	name-
	2600	19	100/86	17	56/66	P -
	2819	19	90	18	4	
	2600	19	90	19	2	
	2600	19	40	20	2	
	ca. 1880	19	40	21	4	
	2500	307		F-2,4,5	3	
	1420	1950		22	1	-Signature
	870	1950		23	1	ture-
	810	1600		24	1	
	300	35	100	F	6 banging blocks	
Constructor: I.Paulaus	kas		1	I	Page 1/1	
























				(as	Constructor: I.Paulauskas
	ω	55/60	40	5060	
	Ν	70	40	5060	
	—	70	40	2300	
		C	Ψ	Þ	
D		, mm	imensions, mm	Dime	
ך ר	2016.09.29		34mmx100		
	cm	540x250 cm	540>		on 244







				(as	Constructor: I.Paulauskas
27	12	100	35	2500	
2	ရ	50	35	5400	
		C	Β	A	
	J	, mm	Dimensions, mm	Dime	Degree <85°
	2016.09.29		34mmx100		
ア マロン	cm	540x250 cm	540x		l na 244












Log 2	244		540>	(250	cm	BE 2016	-Date-
	- • •		34mm>	(100 2	016.09.29		Ite
	Degree <85°	Dime	ensions	, mm	Pos.	Quantity	
		A	B	С	F 05.	Quantity	
	C-	565	35	100	7	19	
		1440	35	100	8	19	÷
		1105	35	100	9	19	Packing
	¢;	5400	35	100	11	22	ing
	Ç	2500	35	100	12	27	
		845	35	100	13	32	
		1420	1950		22	1	
		870	1950		23	1	
		810	1600		24	1	
		300	35	100	F	6 banging blocks	
Cons	structor: I.Paulaus	as			1	Page 1/1	





Log 244		540>	<250	cm	BE 2016	-Date
		34mm	x100 2	016.09.29		te
Dograa <95°	Dime	ensions	, mm		Quantity	
Degree <85°	Α	В	С	Pos.	Quantity	
	5400	35	100	10	1	
	5400	35	100	11	22	÷
	5600	35	150	14	1	ack
	5600	35	150	15	1	acking
	2500	307		F-2,4,5	3	N -
	300	35	100	F	6 banging blocks	
Constructor: I.Paulaus	kas				Page 1/1	







Page 1/1	antity	2016
		-936 D -






Page 1/1	56/66	Jantity	2016
			-916 D -






ge 1/1		16
		-916 0 -


	Page 1/1				(as	Constructor: I.Paulauskas	Cons
	4	18	06	19	2819		
	~ 20 m.	ഗ	24	19			B B
	Quality	רטא <u>.</u>	C	B	Þ	הכחובב אחת	
	Ouantity		, mm	Dimensions, mm	Dime	Degree < 25°	
-əji		016.09.29	nmx100 2016.09.29	34mmx			
в Д-	RE 201R	cm	10x250 cm	540x		244	l og 244






Page 1/1	20 m.	50/61	Jantity	2016
				-916 0 -

If the last board needs to be placed lengthwise cut





Page 1/1	4	Jantity	2016
			-916 D -

Constructor: I.Paulauskas		Degree <85°		Log 244	
(as		Þ	Dime		
	19	Ͳ	Dimensions, mm	34mmx	540x
	24	C	, mm	34mmx100 2016.09.29	540x250 cm
	ъ	רטא.		16.09.29	cm
Page 1/1	~ 20 m.	Quantity		BE 2016	
	-916 D -				

